

**UNITED STATES DISTRICT COURT  
DISTRICT OF MINNESOTA**

---

IN RE MEDTRONIC, INC.  
SPRINT FIDELIS LEADS PRODUCTS  
LIABILITY LITIGATION

MDL NO. 08-1905 (RHK/JSM)

This documents relates to:  
**Lawson et al. v. Medtronic, Inc. et al.**  
**10-cv-04841**

**ORDER GRANTING PLAINTIFFS'  
LEAD COUNSEL'S AMENDED  
MOTION TO DISMISS AND TO  
SEVER, AND SUGGESTION OF  
REMAND**

---

Upon consideration of Plaintiffs' Lead Counsel's Amended Motion to Dismiss (Doc. No. 10), and based on all the files, records and proceedings herein, **IT IS ORDERED** that the Motion is **GRANTED**. Pursuant to the Master Settlement Agreement and Federal Rule of Civil Procedure Rule 41(a), the claims of Plaintiffs Felton Lawson and Brenda Lawson in the action styled Lawson et al. v. Medtronic, Inc. et al., Civ. No. 10-cv-04841, against Medtronic, Inc. are **DISMISSED WITH PREJUDICE**. The Court having expressly determined that there is no just reason for delay for entering judgment as to the dismissed claims, **LET JUDGMENT BE ENTERED ACCORDINGLY** as to those claims.

The Court believes that the remaining claims against non-Medtronic Defendant, Our Lady of the Lake Hospital, Inc., should be remanded by the Judicial Panel on Multidistrict Litigation ("JPML") to the United States District Court for the Middle District of Louisiana, the transferor court, for further proceedings, and it hereby **SUGGESTS** the same to the JPML. See JPML R. 10.1(b)(i).

Dated: July 14, 2011

s/ Richard H. Kyle  
RICHARD H. KYLE  
United States District Judge